

APD 125 A

Aksa
Aksa
P 602

AKSA POWER DIESEL



ISO8528

GC) &-

SZUTEST

GC - \$\$%

CE

2000/14/EC

&\$\$\$\$%# #

	č) \$	ž) \$ž	D:			
	"	"	"	"	"	Amp
400/230	125,00	100,00	115,00	92,00	166,00	

f9GDE

187

● Standard Specifications

fl. — | k.

• Z •

ALTERNATOR

fl 七

TRANSFER SWITCH

APD 125 A

Aksa
Aksa
P 602

AKSA POWER DIESEL

Manufacturer	Aksa
Model	A6CRX65TI
	% \$# " "
	% %\$# " "
	0% \$%\$< DQ
L	6,490
"	105 x 125
	17:1
fL # %	"# "
fL %	L
	16,00
	L
	26,00
AbsorbedAirDischargeReSourceKey.Text	' # " 9,80
fL ' # %	' # " 190,00
	' # " 26,70
	24 V d.c.
	Load %\$#!
	# " 26,30

Aksa	
AK492	
Hz	50
"	115,00
7cg	0,80
	3
fL %	400/230
	A
	165,00


		fL %	"	fL %	"
APD 125 A	1510,00	2300,00	1100,00	1680,00	350,00
	"	"	"	"	L
ASM 6	1940,00	3270	1170	1870	350

APD 125 A

Aksa
Aksa
P 602

AKSA POWER DIESEL

- D * \$ & !



- | | |
|---|-----------------------------|
| 1 | A U]b'gjhj g'X]gd'Um' |
| 2 | 8]gd'UmgWc''Vi hcb" |
| 3 | DU[Yf]bZfa UhcbL'Vi hcb" |
| 4 | 7ca a cb'U'Ufa 'jbX]Wlhcf" |
| 5 | Ghjh g@98fj" |
| 6 | CdYfUhjcb'gYYW]b['Vi hcbg" |

- 8G9ža cXY**\$&\$'5i hc'A U]bg': U]i fY'Wblfc`a cXi 'Y"
 6UHfYfmVXUf[Yf']bdi h%, !*(j c'hžci hdi h''&+ž' J) '5 f&(U Ecf% ž 'J c'h) 5 fV&J ž
 9a Yf[YbWngbcd'di g\ 'Vi hcb'UbX'Z gYg'Zf'Wblfc'WfW]rg"

- 7 ca dcB Ybkg']bghU'YX']b' g\ YYhgH'Y' YbWcgj fY'"D\cgd\UH'WYa]W'ždfY!WtUhj['cZgH'Y' dfcj]XYg'Wffcg]cb
 fYg]gjhUbhgi fZUW'"Dc'nYgH'f'Wt a dgcjH' dck XYf'hdWtUhZfa g'\][\ ['cgg'UbX'Yl'Ya Y'mXi fUVY'Zb]g'"@cW_UV'Y
 UbX'\]b[YX'dUbY'Xccf'dfcj]XYg'YUgmUWVgg'hc' 'Wt a dcB Ybkg"

- '7cblfc' dUbY']g a ci bH'Y'cb'VUgYZfUa Y'k]h'gH'Y'gjhUbX'"@cWjH'X'UhH'Y'f][\ hg]XY'cZH'Y' [YbYfUhcf'gYhfK' \ Yb'mci
 'cc'_UhH'Y'; Yb'GYH'Zca '5'WfbUhcfL'

- H'Y'8G9'*\$&\$']g'U'gjhUbXUfX'Wblfc`a cXi 'Y'Zf'ci f'[YbYfUhcf'gYhg' i d'hc'&\$\$_J 5'UbX'i h\Uj Y'VYYb'XYg][bYX'hc
 ghUfhUbX'ghcd'X]YgY'UbX']Ug'[YbYfUhcf'gYhg' "H'Y'8G9'*\$&\$'a cXi 'Y'\Ug'VYYb'XYg][bYX'hc' a cb]hcf' [YbYfUhcf
 ZfYi YbWzj c'hzWffYbhžYb[]bY'c']dfYggi fYzWtc'UbhHya dYfUk fY'fi bb]b['\ci fg'UbX'VUH'Yfmj c'hg"A cXi 'Y
 a cb]hcf'g'Y' a U]bg'gi dd'mUbX'gk]W'c'j Yf'hc' h'Y' [YbYfUhcf'k \ Yb'hc'Y'a U]bg'dck Yf'Z]g'"H'Y'8G9*\$&\$'U'g
]bX]WfH'Y'cdYfUhcbU'gjh g'UbX'ZU' h'WtBx]hcbg'5i hca UfW'mg' i hib['Xck b'hc'Y'; Yb"GYhUbX' []]b['hfi Y'Zfghi d
 ZU' h'WtBx]hcb'cZ' Yb"GYhZ]i fY" H'Y' @7 8 X]gd'Um]bX]WfH'Y'ZU' h'

A]WcdfcWggcf'Wblfc"YX"
 @7 8 X]gd'Uma U_Yg']bZfa Uhcb'YUgmhc'fYUX"
 (!]bYz*(1 % & d] Y'X]gd'Um'
 5i hca UhW'mfUbgZfg VYH'Yb' a U]bg' fI h'ht'UbX' [YbYfUhcf'dck Yf'
 A Ubi U'dfc[fua a]b['cb'ZfcbhhdUbY"
 I gYf'Z]YbX'mgYH' d'UbX'Vi hcb'Uncl' h
 : fcbhdUbY'dfc[fua a]b["
 F Ya cH'gjhUfH'
 9j Ybh'c[]b['fV\$kg'ck]b['XUH'UbX'ha' Y"
 7 cblfc'g' Ghcd# YgYh'Z'A Ubi U'z5i h'ZHYgh'GhUf'ZVi hcbg'5b'UXX]hcbU'di g\ 'Vi hcb'bYi h'c' h'Y' @7 8 X]gd'Um'g
 i gYX'hc'g'Wc' h'fc' [\ h'Y'a cXi 'Ygfa YH'f]b['X]gd'Um'

APD 125 A

Aksa
Aksa
P 602

AKSA POWER DIESEL

9B; -B9
 9b[]bY'gdYYX"
 C]`dfYggi fy"
 7cc'UbhH'a dYfUh fy"
 F i b H'a Y"
 6UH'Yfmj c`hg"
 7cbZ] i fUV'Y H'a]b["
 ; 9B 9F 5HCF
 J c`HU[Y f@#@@B@
 7 i ffYbh@%&@&@ E'
 : fYeI YbW@
 A 5-BG
 J c`HU[Y f@#@@B@
 : fYeI YbW@
 A Ujb@fYUXn@
 A Ujb@YbUV'YX"
 ; Yb"GYhYfYUXn@
 ; Yb"GYhYbUV'YX"

K 5F B-B;
 7 \Uf[Y'ZU]i fy"
 6UH'Yfm@ck #][\j c`HU[Y
 : U]`h`ghcd"
 @ck #][\ [YbYfUhcfj c`HU[Y
 I bXYf@cj Yf[YbYfUhcf ZYei YbW@
 Cj Yf# bXYf gdYYX"
 @ck c]`dfYggi fy"
 <]\ Wc'UbhH'a dYfUh fy"
 G< I H'8CK BG
 : U]`h`ghd"
 9a Yf[YbW@ghcd"
 @ck c]`dfYggi fy"
 <]\ Wc'UbhH'a dYfUh fy"
 Cj Yf# bXYf gdYYX"
 I bXYf@cj Yf[YbYfUhcf ZYei YbW@
 I bXYf@cj Yf[YbYfUhcfj c`HU[Y
 C]`dfYggi fy'gYbgcf cdYb"
 7cc'UbhH'a dYfUh fy'gYbgcf cdYb"
 9@97 HF -7@HF -D
 ; YbYfUhcfj YfW ffYbH

: 'YI JVY gYbgcf WbVY Wtbhfc`YX k]h H'a dYfUh fyž
 dfYggi fyŽdyfWbH[Y f@ Ufb]b[#g i H'ck b#Y'YMF]W'lf]dE
 @cW" gYH@b[dUFuJa YHfg UbX a cb]hcf]b[Zca D7 h
 Wtbhfc` a cXi Y'k]h'1 G6 WbbYMFcb'f@ Ul '*' a H'

9YWJW]GUZYhm#9A 7 Wta dUH]V]Jm6G 9B *\$-) \$
 9YWJW]Vi gJYgg'YeI]da YbH'
 6G 9B *%\$!*& 9A 7 ja a i b]hmg@UbXufX"
 6G 9B *%\$!*(9A 7 Ya Jgg]cb g@UbXufX"

'6UH'YfmWUf[Yf]g'a Ubi ZW@ fYX k]h gk]WV]b[!a cXY'UbX'GA 8 H'VWbc'c[mUbx'h\Ug\][\ YZM]bYW@'6UH'YfmWUf[Yf
 a cXY'gfici hdI hJ !=WUfUWfghWgj YfmWcgY h`gei UfY'UbX'ci hdI hJg) ua dYfZ% ž J Zcf%&j c'hUbX +Z* J Zcf& J
 #bdI h%, !&* (j c'h57" Dfc]bY'& (\$) '\Ug'Z `mcI hdI hg\chWfW]hdfchW]cb'UbX'ihWb'VY i gYX'Ug'W ffYbhgcI fW"
 Dfc]bY'&(\$) #(& (\$) WUf[Yf'\Ug\][\ YZM]bW@'cb[Z]Z'ck ZU]i fy fUAYZ][\hk Y][\hUbX'ck 'YUhfUX]UH'YX]b
 UW@fXUbW'k]h'1 bYUf'UHfbUhj Yg" H'Y WUf[Yf]g ZH'YX k]h'1 U'dfchW]cb[X]cXY'UWcggi h'Y ci hdI h'7 cbbYW@WUf[Y'ZU]
 fY'UmW] VYH YYb dcg]hj Y'ci hdI hUbX'7: ci hdI h'Y H'YmUFY YeI]ddYX k]h'1 F: =ZHYf'hc fYXi W'Y'YMF]W'bc]gY fUX]UH'YX
 Zca H'Y XYj]W"; Uj Ub]W'm]gc'UH'X]bdi hUbX'ci hdI hhd]W'm(_Zcf\][\ fy]UV]Jm!

APD 125 A

Aksa
Aksa
P 60

AKSA POWER DIESEL

- 5GA * !



- 1 Steel structures.
 - 2 Emergency stop push button.
 - 3 Control panel is mounted on the baseframe .
 - 4 Corrosion-resistant locks and hinges.
 - 5 Exhaust system in the canopy.
 - 6 special large access doors for easy maintenance
 - 7 Base frame -fuel tank.
 - 8 Lifting Points.

	"	1170
fl "七	"	3270
fl "七	"	1870
.	L	350